

# Working with Postal Codes

Last Modified on 07/12/2022 5:05 pm EDT

This guide explains how to eliminate duplicate postal codes and edit existing postal codes. It is intended for system administrators.

When you implement aACE, you must decide what U.S. postal codes you need and [what source to obtain them from](http://aace6.knowledgeowl.com/help/zip-codes-com-database-integration) (<http://aace6.knowledgeowl.com/help/zip-codes-com-database-integration>). Navigate from Main Menu > System Admin > Postal Codes to easily [import postal code data](http://aace6.knowledgeowl.com/help/mapping-import-fields-by-hand) (<http://aace6.knowledgeowl.com/help/mapping-import-fields-by-hand>).

Postal Code	City	County	State	Country	Country Code	Postal Format	Tax Profile	Sales Rep	Account Manager	Territory
00802	St Thomas		VI		US	> American				
00803	St Thomas		VI		US	> American				
00804	St Thomas		VI		US	> American				
00805	St Thomas		VI		US	> American				
00820	Christiansted		VI		US	> American				
00821	Christiansted		VI		US	> American				
00822	Christiansted		VI		US	> American				
00823	Christiansted		VI		US	> American				

You can edit postal codes one at a time or update them in batches using the Actions menu (e.g. Update Postal Format for Postal Codes in List).

## Eliminating Duplicate Codes

You may need to import other postal codes (e.g. Canadian locations). After you import the new postal codes, there may be some American postal codes that overlap with the new postal codes. If you will not be using the American locations, you can easily eliminate those duplicates:

1. From the Postal Codes module, locate all the duplicate values by searching the **Postal Code** field for "!".
2. Constrain that list to *only show* entries with "US" in the **Country Code** or with "American" in the **Postal Format**.
3. Use the Actions menu to remove duplicate postal codes.

## Example of Editing Postal Codes


Updates to postal codes are usually only necessary for certain international sales. (Note:

Postal codes can only be assigned a *single location*. Modifying a postal code as described in the following example will prevent the code from pulling in U.S. address data.)

Suppose you receive a sales order from a new customer in Hamburg, Germany. The postal code for this new customer is "21075", which happens to also be a valid postal code for Elkridge, Maryland. When your team creates the company record for this customer, entering the postal code also auto-populates the State field to "MD".

To resolve this issue, your system administrator must first create a new Postal Format for addresses outside the U.S., then update the postal code record.

The new Postal Format could be for Germany specifically or for Europe in general. Navigate from Main Menu > System Admin > Postal Formats to duplicate an existing format, then customize it for the new territory:



The postal code can then be switched to the new format. Navigate from Main Menu > System Admin > Postal Codes, then locate the entry for "21075" and update the information, including the new Postal Format:



When your sales rep then updates the company record, the Postal Code will auto-populate with the information for this foreign sales lead and the appropriate Postal Format can be selected:

